

BERRYALLOC®

LAMINATE ■ PARQUET ■ WALLS ■ VINYL PLANKS

PURELOC



BerryAlloc Vinyl Planks
Wherever. Forever.

Reflections of nature

Exceptional characters grow over time, organic, to the rhythm of nature. The resulting strength and beauty, are reflected in the PureLoc collections of BerryAlloc.

These reflections of pure beauty provide every interior with an authentic luxurious feel.

The PureLoc and PureLoc Pro collections offer a wide variety of decors with top finishes: matt look, micro-bevel, realistic wood structure,... They are easy and quick to install, thanks to the genius locking system.

PureLoc. follow your intuition and choose the floor that is purely you.



BerryAlloc

Thanks to its excellent quality, comprehensive and innovative range and extensive service the BerryAlloc Group has grown into an international player and highly rated interior and decoration specialist for both residential and commercial projects. Not just with vinyl planks but also with laminate, parquet and wall panels. BerryAlloc is about passion. The passion to provide you with the best of the best. And the passion to consciously strive towards a greener and more sustainable world, both in our philosophy and actions.

Durable floors, quick and easy to install

The PureLoc floors are an esthetic answer to **durable comfort**.

Luxurious, refined and of excellent quality.

Easy to install: thanks to the **locking system**: the boards are locked together, ready to use.

Our PureLoc **superior wear layer** protects your floor from the many assaults unleashed on it during a busy day.

With its thickness of only 4 or 5 mm, PureLoc is an **excellent solution for renovation**.

The boards are easy to install over your existing floor.

The pleasant feeling of warmth and silence

PureLoc is a **quiet floor**: the vinyl provides a soft sound when walked on.

Our floors are a **100% recyclable**, in all aspects, one with nature.

PureLoc touches the senses. Not only are our decors a delight on the eye, they also **feel warm and cosy to your feet**.

They have a low heat resistance, which makes them an ideal fit with floor heating.

Also suited for wet rooms

PureLoc floors are **water resistant**, so also suited for bathroom and kitchen and **easy to clean** with water and standard cleaning products.

All our PureLoc floors are hygienic, thanks to the **polyurethane top layer**.

PureLoc is **anti-static and anti-slip**.





BAV2977 Summer Pine



BAV3080 Winter Wood



BAV3011 Autumn Oak



PURELOC - Planks

4 mm / 0,3 mm wear layer

Size plank 1213 x 171 x 4 mm , planks / box = 8 = 1,66 m² (13 kg), 70 boxes / pallet = 116,25 m² (930 kg)

Size plank: 47.74 “ x 6.74” x 0.16”, planks / box = 8 = 17.88 sq.ft /box (13 kg), 70 boxes / pallet = 1251,32 sq.ft. (930 kg)



BAV3073 Ancient Dark



BAV2960 Mystic Grey



BAV2977 Summer Pine



BAV3080 Winter Wood



BAV3011 Autumn Oak



BAV3004 Sunset Oak

| DESCRIPTION | STANDARD | UNIT | PURELOC | PURELOC PRO |
|-----------------------------|--------------|-----------|-----------------------------------|--|
| Thickness | EN 428 | mm / inch | 4 / .16 | 5 / .20 |
| Wearlayer | EN 429 | mm / MIL | 0,3 / 12 | 0,55 / 22 |
| Classification | EN 685 | class | 23/31 | 23/33/42 |
| Fire Classification | EN 13501 - 1 | class | B _{f1} -s1 | B _{f1} -s1 |
| Slipresistance | DIN 51130 | class | R10 | R10 |
| | EN 13893 | class | DS | DS |
| Weargroup | EN 660 - 1 | | T | T |
| Residual Indentation | EN 433 | mm | <0,1 | <0,1 |
| Thermal Resistance | DIN 52612 | m² K/W | 0, 02 | 0, 02 |
| Castor Chair | EN 425 | | No change in appearance or damage | No change in appearance or damage |
| Colourfastness | ISO 105-B02 | Grade | > 6 | > 6 |
| Chemical product resistance | EN 423 | | OK | OK |
| Floor heating system | | C° | Yes, max. 27 | Yes, max. 27 |
| Dimensional stability | EN 434 | | <0,25% | <0,25% |
| Formaldehyde Emission | EN 717-1 | | E1 | E1 |
| Guarantee | | | Lifetime residential use | Lifetime residential use / 10 years commercial use |
| Sound reduction | EN ISO 717-2 | | 5 dB | 7 dB |

PURELOC

EN 14041
DOP: 454-PC3113-1
Resilient floor covering
EN 649

PURELOC PRO

EN 14041
DOP: 454-PC3113-1
Resilient floor covering
EN 649

Construction:



BerryAlloc Vinyl Planks

Wherever. Forever.



Your dealer

Wood Culture Pte Ltd

**11 Changi North Way
Singapore 498796**

www.woodculture.com.sg

www.berryalloc.com

Contact: Industrielaan 100, 8930 Menen, Belgium / T: +32 56 52 84 80 / F: +32 56 52 84 90 / info@berryalloc.com