

make room
for the
good life.

spirit.

vinyl planks & tiles

BERRY  ALLOC®

Spirit fits every room.

big planks
enlarge your space →


planks with
real wood structure →

sound
-20 decibels

100%
waterproof

→ cosy & warm floor

→ easy clean



welcome.

Fancy a natural stone or real wood look, protected by an indestructible layer? BerryAlloc®'s **vinyl planks & tiles, laminate, hardwood floors and wall panels** give every room in your home its own distinct character. From your living room to your home office and from your entrance hall to the bathroom: live your life to the full and without worry, with a floor that suits your lifestyle.

Since your home tells a lot about who you are, BerryAlloc® provides an extensive range of floor solutions and wall panels in different dimensions and colours. We develop our **innovative collections** in step with the latest trends and based on the latest technologies. Each of our collections offers a high quality, ease of use and an impeccable aesthetic pedigree.

BERRY  ALLOC®



live life to the full.

Trendy styles, tasteful designs and simple installation: the Spirit collection features vinyl planks & tiles to suit all tastes, ranging from simplicity to luxury, and from accessible to exclusive. Spirit adds so much more to your home than just a floor alone: **a warm and welcoming mood**, a powerful statement, and the ability to enjoy your home without worry.

Our low-maintenance, scratch-resistant floors give you, your children and any family pets **the freedom to be yourself**, in all your splendour. No one can stop you from living life to the full!

that's the spirit.

[illegible]



live carefree.

Any time you spend cleaning and scrubbing is time you don't get to spend having fun with your family. That's why we've made our floors **child-proof and pet-proof**. After all: accidents are bound to happen, especially with children and animals around. Muddy paws, a knocked-over glass or crushed food? No problem at all – our Spirit collection is very **easy to maintain**.

stay true to yourself.

Be yourself in every room and every corner of your home. Each click plank of your Spirit floor has an acoustic underlay. And thanks to its innovative integrated underlay, the click-comfort planks and tiles **minimise the sound** of people walking across the floor **by 20 decibels**. This is what a carefree, stress-free life looks (and sounds) like.

*your floor retains
an even surface at all times*

all about stability.

Our Spirit floors suit homes located in any geographical area: from the sunny and exotic south to the cool, chilly north, your floor will retain its stability throughout despite fluctuations in temperature. Even in humid rooms or **close to large windows** with direct sunlight pouring in, you'll have no trouble installing our click comfort floor or the glue-down. The innovative technology and aftercare of the planks and tiles ensure that your floor retains **an even surface at all times**, even after repeated heating and cooling. This makes Spirit particularly suitable in conjunction with floor heating.





additional layer.

Spirit's elegant design is combined with a limited thickness. Want to remove your existing floor while remodelling your home? No need – you simply install Spirit on top of it, saving you the trouble of breakage, dust, and lots of scrubbing and cleaning afterwards. Tiles, wood, or concrete? **Spirit integrates smoothly with any type of existing floor** – even when there are minor differences in height – and does so in record time.

Spirit integrates smoothly with any type of existing floor



everything you need right nearby.

Whether you choose a floor that clicks into place virtually automatically or glue-down installation that keeps it all perfectly together: our Spirit floors ensure a quick, efficient and **dust-free job**. The result is an attractive interior overnight.

easy install.

Spirit is available in click, click comfort and glue-down

instant makeover.

Spirit provides fast and easy installation. **Install your floor in no time at all**, thanks to the convenient click system or the self-adhesive underlay if you opt for glue-down installation. Alternatively, you can glue the planks or tiles directly onto your existing floor. Your floor serves as your home's centrepiece – it is literally and figuratively the foundation of every room in your home. Need an instant makeover? Choose a new colour, an original new design or a warm, natural touch underneath your feet. Spirit is right at your service!



choose your comfort.

Spirit is available in click, click comfort and glue-down versions. The choice is yours. **Click comfort** always includes **an integrated underlay**. Now that's what we call a win-win! Spirit glue-down attaches to a FastTec self-adhesive underlay or can be glued directly onto your existing floor. Use FastTec to remove your vinyl floor at a later stage if desired, without causing damage to your existing floor. For the Spirit Home 30 Click collection, we recommend that you install a DreamTec underlay before installing the planks.



100% phthalate- free.

Better for you, better for the environment. Spirit is a 100% phthalate-free floor that outperforms the European standard to make a strong statement without compromise. Phthalates are chemical compounds commonly used in the manufacture of vinyl floors. So we've made sure that with our Spirit floors **no harmful substances are released**. We do this not because we need to do it, but because we believe it's important. Our **A+ certificate** speaks for itself.



**choose
the right
floor.**



SPIRIT HOME - CLICK COMFORT 40 - MOUNTAIN BROWN

add colour to your life.

what's
your favourite
look & feel?



colour outside the lines.

Flaunt your colourful style and your personality through your home. **Redesign your space by choosing the right colour tiles or planks.** Use the colour effects strategically and design your home to suit your style. A light floor will make your room appear larger, while dark colours enhance the atmosphere.

Choosing the right colours for your floor also determines the mood in your home. Opt for the bright effect of a pale floor – or are you ready for the intensity of black tiles or planks? By creating a sharp contrast between your decor and your floor, you can really get the most out of your style options. If you want to go for a more luxurious look, you're sure to find the grey shade you need in the Spirit collection.

A solid yellow vertical bar is positioned on the left side of the image.

**discover
our Spirit
floors.**

home.





home.

Home combines a stylish design with a sense of warmth and domesticity. We offer the right Home tile or plank for any home and any room. The name says it all: Home offers the kind of floors that will **turn your house into a real home**. But it would also look good in any hotel room, if you're looking to give your guests a warm welcome.

Numerous decors and colours are designed in 12 different planks and 6 different tiles. You will always find a floor that suits the interior of your room.

↳ a stylish design
+ a sense of warmth
+ domesticity.

click comfort 40: 1210 × 176,60 mm



BSV1412 COSY NATURAL



BSV1409 GRACE NATURAL



BSV1404 MOUNTAIN BROWN



BSV1407 PALMER NATURAL





SPIRIT HOME - CLICK COMFORT 40 - GRACE GREIGE

click comfort 40: 1210 × 176,60 mm



BSV1410 GRACE GREIGE














BSV1402 FRENCH GREY



BSV1403 FRENCH BLACK

technical overview.

				wearlayer	real wood structure	thickness (mm)	underlay	dimensions	locking	# decors	class	residential warranty	commercial warranty
SPIRIT HOME	PLANKS	GLUEDOWN	30 GLUEDOWN PLANKS	0,30	X	2	X	1219 × 184 mm 	NO	12	31	15 years	0 years
		CLICK	30 CLICK PLANKS			3,40	X	1210 × 176,60 mm 	2G/2G		31	15 years	0 years
				40 CLICK COMFORT PLANKS		0,40	4 + 1	V	1210 × 176,60 mm 		2G/2G	32	20 years
	TILES	GLUEDOWN	30 GLUEDOWN TILES	0,30		2	X	609,60 × 914,40 mm 	NO	6	31	15 years	0 years
		CLICK	40 CLICK COMFORT TILES	0,40		4,50 + 1	V	610 × 914 mm 	2G/5G		32	20 years	5 years
	SPIRIT PRO	PLANKS	GLUEDOWN	55 GLUEDOWN PLANKS		0,55	V	2,50	X	1520 × 237 mm 	NO	16	33
CLICK			55 CLICK COMFORT PLANKS	4,50 + 1	V			1511 × 228 mm 	2G/5G	33	25 years		10 years
TILES		GLUEDOWN	55 GLUEDOWN TILES	X	2,50		X	609,60 × 914,40 mm 	NO	10	33	25 years	10 years
		CLICK	55 CLICK COMFORT TILES	X	4,50 + 1		V	610 × 914 mm 	2G/5G		33	25 years	10 years
SPIRIT XL	PLANKS	GLUEDOWN	55 GLUEDOWN PLANKS	0,55	V	2,50	X	1840 × 237 mm 	NO	8	33	25 years	10 years
		CLICK	55 CLICK COMFORT PLANKS			4,50 + 1	V	1830 × 228 mm 	2G/5G		33	25 years	10 years

technical data.

SPIRIT HOME						
product specifications.		30 gluedown plank	30 click plank	30 gluedown tile	40 click comfort plank	40 click comfort tile
total thickness	EN ISO 24346	2 mm	3,4 mm	2 mm	4 mm	4,5 mm
integrated underlay		-	-	-	1 mm	1 mm
thickness of the wear layer	EN ISO 24340	0,3 mm	0,3 mm	0,3 mm	0,4 mm	0,4 mm
total weight	EN ISO 23997	3,445 kg/m²	6,6 kg/m²	4 kg/m²	7,9 kg/m²	9,3 kg/m²
usage classification	EN ISO 10874	23/31	23/31	23/31	23/32/41	23/32/41
test results.		30 gluedown plank	30 click plank	30 gluedown tile	40 click comfort plank	40 click comfort tile
underfloor heating	EN ISO 12524	suitable max. 27° (80°F) / electrical floor heating systems: max 60 W/m²				
castor chair	EN ISO 4918	pass	pass	pass	pass	pass
fire resistance	EN ISO 13501-1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
chemical resistance	EN ISO 26987	OK	OK	OK	OK	OK
residual indentation	EN ISO 24343-1	< 0,1 mm	< 0,1 mm	< 0,1 mm	< 0,1 mm	< 0,1 mm
slip resistance	DIN 51130	R10	R10	R10	R10	R10
	EN ISO 13893	class DS	class DS	class DS	class DS	class DS
sound reduction: impact sound	EN ISO 717-2	2 dB	3 dB	2 dB	20 dB	20 dB
reflected walking sound	EPLF draft 021029-3-2004	-	39 SONE (49% sound reduction)	-	33 SONE (57% sound reduction)	33 SONE (57% sound reduction)
dimensional stability	EN ISO 23999	< 0,15%	< 0,15%	< 0,15%	< 0,15%	< 0,15%
residential warranty		15 y	15 y	15 y	20 y	20 y
commercial warranty		0 y	0 y	0 y	5 y	5 y
formaldehyde	EN ISO 717-1	E1	E1	E1	E1	E1
lock strength	EN ISO 10582	-	> 3 kN/m	-	> 4 kN/m	> 4 kN/m

SPIRIT PRO						SPIRIT XL	
product specifications.		55 gluedown plank	55 click comfort plank	55 gluedown tile	55 click comfort tile	55 gluedown plank	55 click comfort plank
total thickness	EN ISO 24346	2,5 mm	4,5 mm	2,5 mm	4,5 mm	2,5 mm	4,5 mm
integrated underlay		-	1 mm	-	1 mm	-	1 mm
thickness of the wear layer	EN ISO 24340	0,55 mm	0,55 mm	0,55 mm	0,55 mm	0,55 mm	0,55 mm
total weight	EN ISO 23997	4,95 kg/m²	9,3 kg/m²	4,95 kg/m²	9,3 kg/m²	4,95 kg/m²	9,3 kg/m²
usage classification	EN ISO 10874	23/33/42	23/33/42	23/33/42	23/33/42	23/33/42	23/33/42
test results.		55 gluedown plank	55 click comfort plank	55 gluedown tile	55 click comfort tile	55 gluedown plank	55 click comfort plank
underfloor heating	EN ISO 12524	suitable max. 27° (80°F) / electrical floor heating systems: max 60 W/m²					
castor chair	EN ISO 4918	pass	pass	pass	pass	pass	pass
fire resistance	EN ISO 13501-1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1	Bfl-s1
chemical resistance	EN ISO 26987	OK	OK	OK	OK	OK	OK
residual indentation	EN ISO 24343-1	< 0,1 mm	< 0,1 mm	< 0,1 mm	< 0,1 mm	< 0,1 mm	< 0,1 mm
slip resistance	DIN 51130	R10	R10	R10	R10	R10	R10
	EN ISO 13893	class DS	class DS	class DS	class DS	class DS	class DS
sound reduction: impact sound	EN ISO 717-2	3 dB	20 dB	3 dB	20 dB	3 dB	20 dB
reflected walking sound	EPLF draft 021029-3-2004	25 SONE (67% sound reduction)	37 SONE (52% sound reduction)	25 SONE (67% sound reduction)	37 SONE (52% sound reduction)	25 SONE (67% sound reduction)	37 SONE (52% sound reduction)
dimensional stability	EN ISO 23999	< 0,15%	< 0,15%	< 0,15%	< 0,15%	< 0,15%	< 0,15%
residential warranty		25 y	25 y	25 y	25 y	25 y	25 y
commercial warranty		10 y	10 y	10 y	10 y	10 y	10 y
formaldehyde	EN ISO 717-1	E1	E1	E1	E1	E1	E1
lock strength	EN ISO 10582	-	> 5 kN/m	-	> 5 kN/m	-	> 5 kN/m

easy maintenance.

Spirit is designed to last and last... including resistance to roughhousing, boisterous furry friends or practising dance steps around the room. "Low maintenance" is Spirit's middle name. The stain- and moisture-resistant coating makes cleaning fast and easy.

You can further extend the life of your floor by using the right products. A strong PU protector adds extra protection to your top vinyl layer, while the cleaner keeps your floor impeccable and hygienic at all times, both for first-time and regular use. **You can quickly clean your floor** without the need to rinse afterwards, leaving more time to focus on the fun stuff.



all good
vibes.

share
your
floor!

#MYBERRYALLOC

BERRY≡ALLOC®

BerryAlloc offices at / Rijksweg 440 / 8170 Wielsbeke, Belgium

T +32 56 67 66 11 / info@berryalloc.com

www.berryalloc.com

follow us on:    